

Wire Decking

Yida New World 4-2-5-2. Wusi Road 111, Xigang District, Dalian, China

TEL: 86-411-8361 5995 FAX: 86-411-8368 6777 Official web: hmlwires.com Email: export@net-railing.cn

About us

Our Factory











- Dalian Huameilong Metal Products Co.Ltd, established in 1993, one of the largest manufacturers of material handling equipments in North China.We have already past the ISO 9001:2000 and B&V international well-known certification.
- With more than 20 years of professional manufacturer experiences, with nearly 1200 tons of mesh products produced monthly in our morden 30000 square meters office and factory premises, we have successfully record in suppling to our customers in West European, North American, Australia, Mid East and etc and have win highly reputation among customers.
- <u>Corporate Culture</u>: Quality is enterprises' life and motivation and should be guaranteed by whole workers

Wire decking--Specification

We have standard items of wire decking, but usually, the specification of them are usually designed based on your racking's beam size

s.com	om wires.com	wires.com	wires.com
Item No.	Dim(D*W)	Dim Mesh	Loading capacity
	mm	mm	kg
13001	1000*880	50*100	800
13002	1050*880	50*100	800
13003	1100*880	50*100	800
13004	1000*1340	50*100	1000
13005	1050*1340	50*100	1000
13006	1100*1340	50*100	1000
Material	Mild steel Q235		
Channel type	F/U/Inverted U channel		
Finish	Zinc/hot dip galvanized/powder coating		
Application area	Warehouse, logistic, recycling industry		
Remark	Costomized or OEM support		

Wire decking channel type



for Box beam



for Box beam



for both Box beam and Step beam


hmlwires.com

hmlwires.com

hmlwires.com

Why wire mesh decking

PROBLEM - Solid Shelving



SOLUTION - Flow-through Shelving



Solid shelving-Problems

- 1.With solid shelving, fire can spread rapidly throughout lower levels before roof-mounted sprinklers are activated.
- 2. Solid shelving restricts the flow of water from effectively penetrating lower levels.
- 3.Once on fire, solid shelving quickly loses strength presenting the additional risk of falling goods.

Wire deck-Solution

- 1. Wire mesh decking allows for quicker activation and more effective penetration.
- 2.Meets stringent new fire and insurance requirements.
- 3.Complies with FM Global specification for ESFR sprinklers with open shelving.
- 4. Greater than 70% open area NFPA13 compliant.

Packaging & Loading

Plastic/steel banding+Stretch film wrapped,easy loading and unloading with standard forklift truck or pallet jack.





APPLICATION

hmlwires.com hmlwires.com hmlwires.com





hmlwires.com

hmlwires.com

Other metal products we mainly produce



Thanks for your watching

Dalian Huameilong Metal Products--official web: hmlwires.com Email: export@net-railing.cn